


Melville® Plank Paver



Techniseal 1 bag of sand covers approx.:
Slim - 54 ft² / Grand- 79 ft²

- Pedestrian - Designed to withstand pedestrian traffic
- Vehicular - Designed to withstand car traffic


Melville® Plank Slim Paver

	DIMENSIONS (MM)	DIMENSIONS (IN)	CODES	COLOURS	TYPICAL ROW																								
 	A	80 x 127 x 300	3 1/8 x 5 x 11 13/16	PRESTIGE COLOURS	<table border="1"> <tr><td>B</td><td>A</td><td>C</td></tr> <tr><td>B</td><td>A</td><td>C</td></tr> <tr><td>B</td><td>A</td><td>C</td></tr> <tr><td>B</td><td>A</td><td>C</td></tr> <tr><td>B</td><td>A</td><td>C</td></tr> <tr><td>B</td><td>A</td><td>C</td></tr> <tr><td>B</td><td>A</td><td>C</td></tr> <tr><td>B</td><td>A</td><td>C</td></tr> </table>	B	A	C	B	A	C	B	A	C	B	A	C	B	A	C	B	A	C	B	A	C	B	A	C
	B	A	C																										
	B	A	C																										
B	A	C																											
B	A	C																											
B	A	C																											
B	A	C																											
B	A	C																											
B	A	C																											
B	80 x 127 x 400	3 1/8 x 5 x 15 3/4	10550398	Rockland Black																									
C	80 x 127 x 500	3 1/8 x 5 x 19 11/16	10550392	Range Scandina Grey																									
Weight/unit (avg.)	9 kg	21 lb	STANDARD COLOURS																										
Unit/surface (avg.)	19.61 unit/m ²	1.83 unit/ft ²	10550399	Range Newport Grey																									
Area/layer	1.07 m ²	11.48 ft ²	Sold in full cubes only																										
Area/cube	8.56 m² 8 Rows	91.84 ft²	Production location Montréal																										
Qty/cube	A = 56	B = 56	C = 56																										
Length/row	8.40 lin. m	27.56 lin. ft																											
Length/cube	67.20 lin. m	220.48 lin. ft																											
Weight/cube	1610 kg	3542 lb																											


Melville® Plank Large Paver

	DIMENSIONS (MM)	DIMENSIONS (IN)	CODES	COLOURS	TYPICAL ROW																								
 	A	80 x 190 x 300	3 1/8 x 7 1/2 x 11 13/16	PRESTIGE COLOURS	<table border="1"> <tr><td>B</td><td>A</td><td>C</td></tr> <tr><td>B</td><td>A</td><td>C</td></tr> <tr><td>B</td><td>A</td><td>C</td></tr> <tr><td>B</td><td>A</td><td>C</td></tr> <tr><td>B</td><td>A</td><td>C</td></tr> <tr><td>B</td><td>A</td><td>C</td></tr> <tr><td>B</td><td>A</td><td>C</td></tr> <tr><td>B</td><td>A</td><td>C</td></tr> </table>	B	A	C	B	A	C	B	A	C	B	A	C	B	A	C	B	A	C	B	A	C	B	A	C
	B	A	C																										
	B	A	C																										
B	A	C																											
B	A	C																											
B	A	C																											
B	A	C																											
B	A	C																											
B	A	C																											
B	80 x 190 x 400	3 1/8 x 7 1/2 x 15 3/4	10550395	Rockland Black																									
C	80 x 190 x 500	3 1/8 x 7 1/2 x 19 11/16	10550397	Range Scandina Grey																									
Weight/unit (avg.)	14 kg	31 lb	STANDARD COLOUR																										
Unit/surface (avg.)	13.16 unit/m ²	1.22 unit/ft ²	10550394	Range Newport Grey																									
Area/layer	0.91 m ²	9.82 ft ²	Sold in full cubes only																										
Area/cube	7.28 m² 8 Rows	78.56 ft²	Production location Montréal																										
Qty/cube	A = 32	B = 32	C = 32																										
Length/row	4.80 lin. m	15.75 lin. ft																											
Length/cube	34.40 lin. m	126.00 lin. ft																											
Weight/cube	1399 kg	3078 lb																											


LAYING PATTERNS



Melville Plank Slim
Linear



Melville Plank Large
Linear



Melville Plank
50% slim and 50% large

TECHNICAL INFORMATION

Product	Standard	Flexural Strength	Compressive Strength	De-icing salts freeze-thaw durability	Density	Absorption	Dimension Tolerance*
Melville Plank Paver	CSA A231.2	N/A	μ 50 MPa ≥ 45 MPa	225 g/m ² after 28 cycles 500 g/m ² after 49 cycles	N/A	N/A	Length: -1.0 to +2.0 mm Width: -1.0 to +2.0 mm Height: ±3.0 mm

Joint sand compaction: Cover vibrating plate with a removable rubber tread (neoprene or polypropylene).
Cover snow removal tools with Teflon or neoprene protectors to minimize the risk of damage from scratches. Laying patterns are for design purposes only. Permacon shall not be responsible for excess or shortage of material.