

Grande Wall




Grande Wall 375 Standard Unit




	DIMENSIONS (MM)	DIMENSIONS (IN)
	200 x 375 x 1000	7.87 x 14.76 x 39.37
Weight/unit	161 kg	355 lb
Units/area	5.00 units/m ²	0.46 units/ft ²
Area/cube	1.80 m²	19.40 ft²
Length/cube	9.00 lin. m	29.60 lin. ft
Qty/cube	9 units	9 units
Weight/cube	1530 kg	3367 lb

CODE	COLOUR
16201336	Natural
Call for custom colour information	
Sold in full cubes only	
Production location Cambridge	




Grande Wall 750 Standard Unit




	DIMENSIONS (MM)	DIMENSIONS (IN)
	200 x 750 x 1000	7.87 x 29.52 x 39.37
Weight/unit	322 kg	710 lb
Units/area	1.80 units/m ²	0.46 units/ft ²
Area/cube	0.80 m²	8.6 ft²
Length/cube	4.00 lin. m	13.10 lin. ft
Qty/cube	4 units	4 units
Weight/cube	1363 kg	3000 lb

CODE	COLOUR
16209043	Natural
Call for custom colour information	
Sold in full cubes only	
Production location Cambridge	




Grande Wall 1125 Standard Unit



	DIMENSIONS (MM)	DIMENSIONS (IN)
	200 x 1125 x 1000	7.87 x 44.29 x 39.37
Weight/unit	483 kg	1065 lb
Units/area	1.80 units/m ²	0.46 units/ft ²
Area/cube	0.60 m²	6.45 ft²
Length/cube	3.00 lin. m	9.90 lin. ft
Qty/cube	3 units	3 units
Weight/cube	1530 kg	3367 lb

CODE	COLOUR
16209044	Natural
Call for custom colour information	
Sold in full cubes only	
Production location Cambridge	



TECHNICAL INFORMATION

Product	Standard	Flexural Strength	Compressive Strength	De-icing salts freeze-thaw durability	Density	Absorption	Dimension Tolerance*
Grande Wall	ASTM C 1372	N/A	30 MPa	N/A	2250 kg/m ³	5%	Length: ±2.0 mm Width: ±2.0 mm Height: ±2.0 mm

Grande Wall

Grande Wall Corner Unit




	DIMENSIONS (MM)	DIMENSIONS (IN)
	200 x 500 x 1000	7.87 x 19.69 x 39.37
Weight/unit	213 kg	469 lb
Units/area	3.33 units/m ²	0.31 units/ft ²
Qty/cube	6 units	6 units
Weight/cube	1402 kg	3085 lb

CODE	COLOUR
16209045	Natural

Call for custom colour information
Sold in full cubes only
Production location Cambridge

TYPICAL ROW



Walls

Grande Wall 175 mm Step Unit




	DIMENSIONS (MM)	DIMENSIONS (IN)
	175 x 438 x 1000	6.89 x 17.24 x 39.37
Weight/Unit	175 kg	386 lb
Length/cube	1.20 lin. m	19.68 lin. ft
Qty/cube	6 units	6 units
Weight/cube	1080 kg	2377 lb

CODES	COLOURS
16202415	Natural
16202416	Desert Grey Blend
16202417	Granite Blend
16202418	Onyx Brown

Sold in full cubes only
Production location Cambridge

TYPICAL ROW




Grande Wall Custom Splitting



Custom splitting is available for corners at custom angles or for coping units at the end of a wall. **Splitting premium is in addition to the price of the unit being split.**

Sold in full cubes only
Production location Cambridge

LAYING PATTERN




TECHNICAL INFORMATION

Product	Standard	Flexural Strength	Compressive Strength	De-icing salts freeze-thaw durability	Density	Absorption	Dimension Tolerance*
Grande Wall	ASTM C 1372	N/A	30 MPa	N/A	2250 kg/m ³	5%	Length: ±2.0 mm Width: ±2.0 mm Height: ±2.0 mm

Grande Wedge Standard Step




Grande Wedge Standard Step Unit




	DIMENSIONS (MM)	DIMENSIONS (IN)
	200 x 312.50 x 380 / 250	7.87 x 12.30 x 14.96 / 9.84
Weight/Unit	37.58 kg	82.90 lb
Units/area	13.16 units/m ²	1.22 units/ft ²
Area/cube	2.74 m²	29.50 ft²
Length/cube	13.68 lin m	44.90 lin. ft
Qty/cube	36 units	36 units
Weigh/cubet	1384 kg	3046 lb

Call for custom colour information
Sold in full cubes only
Production location Cambridge

TYPICAL ROW



LAYING PATTERN



Linear

TECHNICAL INFORMATION

Product	Standard	Flexural Strength	Compressive Strength	De-icing salts freeze-thaw durability	Density	Absorption	Dimension Tolerance*
Grande Wedge	ASTM C 1372	N/A	30 MPa	N/A	2250 kg/m ²	5%	Length: ±2.0 mm Width: ±2.0 mm Height: ±2.0 mm


Recommended Capping: Grande Wedge Capping Unit

Applications: Retaining Walls


Features: Wedge Units create a 1000 mm (3'3") outside radius without cutting - 4 Wedge units are required for a rounded 90° corner, 16 pcs for a full circle - Two thirds of a all Wedge Units in a bundle come double rock-faced for inside and outside curves.

Engineering required for walls greater than 1.0 m (3.3 ft)

Grande Wedge and Grande Wall Capping




Grande Wedge* Capping




	DIMENSIONS (MM)	DIMENSIONS (IN)
	100 x 312.50 x 380/250	3.93 x 12.30 x 14.96/9.84
Weight/unit	21.08 kg	46.50 lb
Length/cube	23.94 lin m	78.50 lin. ft
Qty/cube	63 units	63 units
Weight/cube	1360kg	2993 lb

Call for custom colour information
Sold in full cubes only
Production location Cambridge

TYPICAL ROW



Grande Wall 438 Capping




	DIMENSIONS (MM)	DIMENSIONS (IN)
	200 x 438 x 1000	7.87 x 17.24 x 39.37
Weight/unit	173 kg	380 lb
Units/area	1.20 units/m ²	12.90 lin/ft ²
Qty/cube	6 units	6 units
Weight/cube	1186 kg	2610 lb

CODES	COLOURS
16200460	Natural
16201338	Desert Grey Blend
16201339	Granite Blend
16201340	Onyx Brown Blend

Sold in full cubes only
Can be double stacked
Production location Cambridge

TYPICAL ROW



TECHNICAL INFORMATION

Product	Standard	Flexural Strength	Compressive Strength	De-icing salts freeze-thaw durability	Density	Absorption	Dimension Tolerance*
Grande Wedge and Grande Wall Capping	N/A	N/A	35 MPa	500 g/m ²	2150-2250 kg/m ³	5%	Length: ±2,0 mm Width : ±2,0 mm Height: -2,0 to +1,0 mm

Additional details: See our landscaping installation guide on our website.