

THIN STONE VENEER
COLLECTIVE



Oxford 3 Course Ashlar

PANGAEA®

NATURAL STONE INC.

REAL PEOPLE. REAL IMPACT. REAL STONE.

*Vet us like you're going on a first date and then get to know us a little better at
PangaeaNaturalStone.com.*

CANADA . UNITED STATES . INDIA

since 2004



Diamond River 3 Course Ashlar

PANGAEA®
THIN STONE VENEER
COLLECTIVE

3 COURSE ASHLAR



Ash Sandstone



Chinook Granite



Diamond River Quartzite



Klondike Limestone



Lancaster Quartzite



Oxford Sandstone



Providence Granite/Quartzite



Saddleback Sandstone



Siena Sandstone

9 COLORS TO CHOOSE FROM

GripSet® Technology
Installation Ready™
Split Face

SPECIFICATIONS

length: *Up to 18" (≈457 mm)*

heights: *2-1/4", 5", 7-3/4" (≈57, 127, 197 mm)*

thickness: *Average 1-1/4" (≈32 mm)*

weight: *Up to 13 lbs/ft² (≈63 kgs/m²)*

corners: *Available*



Black Rundle Castlestone

PANGAEA®
THIN STONE VENEER
COLLECTIVE

CASTLESTONE



* Black Rundle *Limestone*



Cambrian Sandstone



* Copper Canyon *Sandstone*



Providence Granite/Quartzite



* WestCoast® *Quartzite*

5 COLORS TO CHOOSE FROM

GripSet® Technology

Installation Ready™

Split Face

SPECIFICATIONS

length: *Up to 18" (≈457 mm) plus fillers*

heights: *Up to 12" (≈305 mm) plus fillers*

thickness: *Average 1" (≈25 mm)*

weight: *Up to 13 lbs/ft² (≈63 kgs/m²)*

corners: *Available*

* Full bed options are available exclusively in these colors. The specifications for height and length are consistent with veneer options, with a thickness ranging from 3.5 - 5" (≈89 - 127 mm).



Sierra Ridge Roman Castlestone

PANGAEA®
THIN STONE VENEER
COLLECTIVE

ROMAN CASTLESTONE



Chinook Granite



* *Lancaster Quartzite*



Sierra Ridge Schist

IN THREE PERFECTED COLORS

GripSet® Technology

Installation Ready™

Split Face

SPECIFICATIONS

length: *Up to 18" (≈457 mm) plus fillers*

heights: *Up to 12" (≈305 mm) plus fillers*

thickness: *Average 1" (≈25 mm)*

weight: *Up to 13 lbs/ft² (≈63 kgs/m²)*

corners: *Available*

* Full bed options are available exclusively in these colors. The specifications for height and length are consistent with veneer options, with a thickness ranging from 3.5 - 5" (≈89 - 127 mm).



WestCoast® Fieldstone

PANGAEA®
THIN STONE VENEER
COLLECTIVE

FIELDSTONE



Cambrian Sandstone



Chinook Granite



** Copper Canyon Sandstone*



** Grigio Sandstone*



** Lancaster Quartzite*



Providence Granite/Quartzite



Sierra Ridge Schist



** WestCoast® Quartzite*

8 COLORS TO CHOOSE FROM

GripSet® Technology

Installation Ready™

Split Face

SPECIFICATIONS

size of stone: *Up to 1-1/2 ft² (≈0.14 m²) plus fillers*

thickness: *Average 1" (≈25 mm)*

weight: *Up to 13 lbs/ft² (≈63 kgs/m²)*

corners: *Available*

** Full bed options are available exclusively in these colors. The specifications for height and length are consistent with veneer options, with a thickness ranging from 3.5 - 5" (≈89 - 127 mm).*



WestCoast® Microledge

PANGAEA®
THIN STONE VENEER
COLLECTIVE

MICROLEGE



WestCoast® Quartzite

WHY MESS WITH PERFECTION?

PANGAEA® SIGNATURE STONE IS DISTINCTIVELY ONE OF KIND !

Installation Ready™
Split Face

SPECIFICATIONS

length: *Up to 12" (≈305 mm) plus fillers*

heights: *Up to 1-1/4" (≈32 mm) plus fillers*

thickness: *Average 1-1/4" (≈32 mm)*

weight: *Up to 13 lbs/ft² (≈63 kgs/m²)*

corners: *Available*



WestCoast® Ledgestone

PANGAEA®
THIN STONE VENEER
COLLECTIVE

LEDGESTONE



* Black Rundle *Limestone*



Cambrian Sandstone



Chinook Granite



* Copper Canyon *Sandstone*



* Grigio *Sandstone*



* Lancaster *Quartzite*



* New England *Schist*



Providence Granite/Quartzite



* Tuscan *Sandstone*



* WestCoast® *Quartzite*

10 COLORS TO CHOOSE FROM

GripSet® Technology

Installation Ready™

Split Face

SPECIFICATIONS

length: *Up to 18" (≈457 mm)*

heights: *Up to 5" (≈127 mm)*

thickness: *Average 1" (≈25 mm)*

weight: *Up to 13 lbs/ft² (≈63 kgs/m²)*

corners: *Available*

* Full bed options are available exclusively in these colors. The specifications for height and length are consistent with veneer options, with a thickness ranging from 3.5 - 5" (≈89 - 127 mm).



New England Quarry Ledge Stone®

PANGAEA®
THIN STONE VENEER
COLLECTIVE

QUARRY LEDGESTONE®



Chinook Granite



Coyote Sandstone



Lancaster Quartzite



New England Schist



Providence Granite/Quartzite



Thunder Ridge Sandstone



Wolverine Quartzite

7 COLORS TO CHOOSE FROM

GripSet® Technology

Installation Ready™

Split Face

SPECIFICATIONS

length: *Up to 16" (≈406 mm) plus fillers*

heights: *Up to 8" (≈203 mm) plus fillers*

Coyote, New England, Thunder Ridge: Up to 6" (≈152) plus fillers

thickness: *Average 1-1/4" (≈32 mm)*

weight: *Up to 13 lbs/ft² (≈63 kgs/m²)*

corners: *Available*

4 COURSE ASHLAR FORMFIT

NEW



Ash Sandstone



Broadway Granite



Chinook Granite



Diamond River Quartzite



Kings Point Sandstone



Klondike Limestone



Lancaster Quartzite



Oxford Sandstone



Providence Granite/Quartzite



Saddleback Sandstone



Yukon Marble

*GripSet® Technology
Installation Ready™
Sawn Cut 4 Sides FormFit*

SPECIFICATIONS

length: *Up to 24" (≈610 mm)*
heights: *2", 4", 6", 8" (≈51, 102, 152, 203 mm)*
thickness: *Average 1-1/4" (≈32 mm)*
weight: *Up to 13 lbs/ft² (≈63 kgs/m²)*
corners: *Available*



Cambrian Sandstone



Chinook Granite



Copper Canyon Sandstone



Grigio Sandstone



Lancaster Quartzite



New England Schist



Providence Granite/Quartzite



Tuscan Sandstone



WestCoast® Quartzite

GripSet® Technology

Installation Ready™

Split Face

SPECIFICATIONS

length: *Up to 24" (≈610 mm)*

heights: *4"-8" (≈102 - 203 mm)*

thickness: *Average 1-1/8" (≈28 mm)*

weight: *Up to 13 lbs/ft² (≈63 kgs/m²)*

corners: *Available*

Fillers were added for control panel purposes only.



Black Rundle Split Face *Limestone*



Broadway Split Face *Granite*



Broadway Textured *Granite*



Cambrian Split Face *Sandstone*



Cambrian Textured *Sandstone*



Chinook Split Face *Granite*



Chinook Textured *Granite*



Kings Point Split Face *Sandstone*



Kings Point Textured *Sandstone*



WestCoast® Split Face *Quartzite*



WestCoast® Textured *Quartzite*



Yukon Split Face *Marble*



Yukon Textured *Marble*

GripSet® Technology
Installation Ready™
Sawn Cut 4 Sides

SPECIFICATIONS

length: 24" (≈610 mm) Chinook Split Face 18" (≈457 mm)

heights, sold separately: 2", 4", 6", 8", 10" (≈51, 102, 152, 203, 254 mm)

thickness: Average 1" (≈25 mm)

weight: Up to 13 lbs/ft² (≈63 kgs/m²)

corners: Available

TERRAIN LEDGESTONE FORMFIT

NEW



Black Rundle *Limestone*



Cambrian *Sandstone*



Chinook *Granite*



Copper Canyon *Sandstone*



Grigio *Sandstone*



Lancaster *Quartzite*



New England *Schist*



Providence *Granite/Quartzite*



Tuscan *Sandstone*



WestCoast® *Quartzite*

GripSet® Technology
Installation Ready™
Sawn Cut 4 Sides FormFit

SPECIFICATIONS

length: *Up to 20" (≈508 mm)*
heights: *1-1/2", 2-1/2", 4" (≈38, 64, 102 mm)*
thickness: *Average 1" (≈25 mm)*
weight: *Up to 13 lbs/ft² (≈63 kgs/m²)*
corners: *Available*



WATERTABLE SILLS
ARE DEPENDABLE
LIKE YOUR FAVORITE
RAIN JACKET

*Diamond River 3 Course Ashlar
with WestCoast® Watertable Sills*

PANGAEA
ARCHITECTURAL
ELEMENTS

WATERTABLE SILLS

A necessary component for proper moisture management, Pangaea® watertable sills are specifically designed for use at the top of a stone wainscot and are designed with a drip edge for water runoff.

WATERTABLE SILL 34"

colors: *Cambrian & Tuscan*

WATERTABLE SILL 18"

colors: *Black Rundle & WestCoast®*

TRIMSTONES & KEYSTONES

Offering tremendous design flexibility, Pangaea® Trimstones and Keystones can be cut or shaped to conform to any arch radius making them the perfect finishing touch for door and window treatments.

TRIMSTONE 8"

colors: *Black Rundle, Cambrian & Tuscan*

TRIMSTONE 9"

colors: *Black Rundle, Cambrian & Tuscan*

KEYSTONE

colors: *Black Rundle, Cambrian & Tuscan*

HEARTHSTONES

Pangaea® Hearthstones are rugged, yet refined, and are suitable not only for your fireplace, but for any living space as they are functional as well as beautiful.

colors: *Black Rundle, Cambrian, Tuscan, & WestCoast®*

POST CAPS

Sturdy and durable, Pangaea® Post Caps are the perfect finishing design element for entry posts or other hardscaping projects.

colors: *Black Rundle, Cambrian, Tuscan, & WestCoast®*

WALL CAPS

Pangaea® Wall Caps withstand the test of time. They are the ideal finish for your garden and entry walls.

WALL CAP 12"

colors:

*Black Rundle, Cambrian,
Tuscan, & WestCoast®*

WALL CAP 14"

colors:

*Black Rundle, Cambrian,
Tuscan, & WestCoast®*

SLABS

Add beauty, durability and permanence to your project. For use outdoors as a stair hearthstone, Pangaea® slabs are both aesthetically pleasing and functional.

SLAB 72" X 20"

colors

WestCoast® only

SLAB 72" X 24"

colors

Cambrian & Tuscan

SLAB 84" X 24"

colors

Cambrian & Tuscan



Black Rundle Castlestone

PANGAEA® IS SYNONYMOUS WITH RELIABILITY AND CONSISTENCY.

Over the past 20 years we have consciously re-imagined, re-evaluated and re-tooled our approach on how to continually create value. We have delivered real world solutions to real world problems. We are insanely focused on delivering the highest value from the products we manufacture to the communities we serve. This purpose is what continually fuels our passion.

We could start nerding out and use words like thermal mass, silica composition and discuss freeze-thaw cycles. We could talk about gravity loads and building envelopes, but we don't want to bore you with the details.

Just know, we've thought about all of it, so you don't have to. We've got your back so you can stress less and concentrate on beauty and design.




EXCLUSIVE GripSet® TECHNOLOGY

YOU COUNT ON MAKING IT STICK.

WE HELP YOU WITH THAT.

Professional masons told us the saw cut smooth surfaces of natural stone veneers are harder to attach and more time consuming to install than manufactured stone veneers which have rough surfaces. With this problem in mind, we went to work and found a solution. We call it GripSet®. GripSet® creates a non-slip surface on the back of each stone allowing mortar to penetrate the stone, creating a much stronger bond with the vertical surface. Mortar not only mechanically bonds to the wall, but also our stone veneers through the GripSet® process.

This translates to a higher quality install with time to spare.



WestCoast® Fieldstone



You probably want to see us again. Check out our Pangaea® editorial magazine online or in store. We're also at PangaeaNaturalStone.com, or find us on instagram if you're just here for the eye candy.

CSI 
 All things Stone ... and more
www.AllThingsStone.com
 1-800-977-8663

AUTHORIZED DEALER